



CONNECTING THE FUTURE



Home | Hotel | Office



[www.mdrelectronics.com](http://www.mdrelectronics.com)



CONNECTING THE FUTURE



Mukesh Panjwani | CEO



“The future is a canvas awaiting the strokes of those who believe in the beauty of their dreams”. At MX MDR Technologies Ltd, we embody this ethos with our unwavering commitment to connecting the future. As the torchbearer of excellence, MX, which emanates from the magic of Xcellence, was founded in 1978 by the visionary entrepreneur, Mr. Mukesh V Panjwani.

Pioneering the industry, MX stands as the leading manufacturer of electronics, Audio Video cables, Electronic, and Electrical accessories. Our state-of-the-art manufacturing unit is nestled in Vasai, Dist. Palghar, Maharashtra, while our dynamic Experience center is based in Mumbai & Bangalore, India.

Since its inception, MX has been at the forefront, providing tailored electrical and electronic solutions for Architects, Interior designers, Furniture Manufacturers, System Integrators, Electrical Contractors, Service Providers, and Corporate Clients. Our network of distributor's spans across India and our footprint extends to the Middle East, Saudi Arabia, Turkey, Nepal, Bangladesh, Sri Lanka, and South Africa.

"MX is not just a brand but a heritage of trust, credibility & sustained value creation."

**Our Principles:**

- SERVICE
- QUALITY
- DESIGN
- INNOVATION
- MADE IN BHARAT

In 2016, MX Power emerges as a new vertical, illuminating the path with electrical power and cable management systems. Tailored for Residential, Industrial, Institutional, Hospitality, and Healthcare segments, MX Power is a testament to our relentless pursuit of progress.

# About Us

IT power distribution



HOME

**46** years of experience

in developing, manufacturing and distributing high-quality power distribution solutions, AV accessories & pro audio products

connecting the **future**

over **10000** standard products



BASED IN

MUMBAI



HOTEL


**1978**  
Year founded



WORLDWIDE


**MX  
POWER**

POWER DISTRIBUTION UNITS



PROVIDING **LIFE** QUALITY

AROUND **200** EMPLOYEES WORLDWIDE



MADE IN **BHARAT**



OFFICE A

# Contents

	PAGE NO
<b>NUEVO MODULAR POWER TRACKS C55 / C34</b>	<b>8-11</b>
<b>STANDARD POWER TRACKS</b>	<b>12-13</b>
<b>ADAPTORS &amp; MULTIMEDIA CONNECTORS</b>	<b>14-17</b>
<b>NUEVO UNDER DESK POWER &amp; DATA TRACKS S68</b>	<b>18-19</b>
<b>NUEVO DESKTOP POWER &amp; DATA TRACKS D88</b>	<b>20-21</b>
<b>FREE STANDING TOWER TRACKS / POWER POLE</b>	<b>22-25</b>
<b>VERTICAL POWER &amp; DATA POLE FLOOR TO CEILING</b>	<b>26-27</b>
<b>DESK TOP CONSOLE</b>	<b>28-31</b>
<b>UNDER DESK CONSOLE</b>	<b>32-35</b>
<b>IN-SURFACE POWER DISTRIBUTION UNIT C55 / C34</b>	<b>36-39</b>
<b>EMBEDDED POWER &amp; DATA SOCKET - SCREW TYPE</b>	<b>40-41</b>
<b>EMBEDDED POWER &amp; DATA SOCKET - PUSH TYPE</b>	<b>42</b>
<b>UNDER DESK SOCKET</b>	<b>43</b>
<b>POWER CUBBYS</b>	<b>44-55</b>
<b>HEXAD POWER CONSOLE</b>	<b>56-57</b>
<b>DESK TOP POWER GROMMET</b>	<b>58-59</b>
<b>PLUTO DOCK &amp; GROMMET</b>	<b>60-63</b>
<b>POWER POST POPUPS</b>	<b>64-67</b>
<b>POPUPS</b>	<b>68-71</b>
<b>ACCESS FLAPS</b>	<b>72-74</b>
<b>ELECTRICAL CONNECTORS ACCESSORIES</b>	<b>75-76</b>

# Research & Development

## 1. Safety and Efficiency :

- Developing fire-resistant materials for outlet housings.
- Designing outlets with improved electrical conductivity for reduced energy loss.
- Integrating surge protection technology to safeguard against electrical damage.
- Implementing overload protection mechanisms to prevent overheating.
- Exploring new materials and manufacturing techniques to improve durability and longevity.

## 2. Sustainability and Environmental Impact :

- Developing energy-efficient outlets that consume less power when not in use.
- Exploring the use of renewable energy sources to power manufacturing processes.
- Reducing waste and minimizing the environmental impact of production.

## 3. User Experience and Innovation :

- Designing outlets with improved usability and accessibility features.
- Exploring new functionalities like USB charging ports and Quick Charge Technologies.
- Creating aesthetically pleasing outlet designs that complement modern home décor.
- Enhancing user convenience through features like tamper resistance and childproof protection.

## 4. Indian Regulatory Compliance and International Standards :

- Ensuring all MX power outlets comply with relevant national and international safety standards.
- Investing in testing and certification to guarantee product reliability and safety.
- Continuously staying updated on regulatory changes and adapting product designs accordingly.



# Product Innovations

## Multiple Socket:

MX revolutionizes power outlets with innovative Multi-Nation Sockets, including Indian, Universal, and UK variants. Our cutting-edge designs enhance compatibility and convenience, ensuring seamless connectivity for global users. Experience the future of power solutions & wireless charging.



## Multi colors :

Our multi-colored and customizable power outlets are more than just functional tools; they are design statements. By embracing this innovation, you can transform your workspace into a vibrant and inspiring environment that reflects your unique personality and brand.




## Quick & Wireless Charging :

We unveil our groundbreaking innovation by seamlessly integrating Qualcomm Quick Charge 3.0 for Power Delivery (PD) charging directly into our power outlets. Elevate your charging experience with MX's state-of-the-art technology, featuring wireless charging options for swift and efficient power delivery to your devices. Experience accelerated charging, thanks to our unwavering commitment to advanced solutions.



## Made In Bharat :

We have played a pivotal role in India's growth through our participation in the "Make in India" initiative. By manufacturing homegrown power outlets, we contribute to the nation's self-reliance goals. These locally-produced outlets adhere to global standards, showcasing our commitment to quality and innovation. This not only boosts the domestic manufacturing sector but also positions us as a key player in India's technological advancement.



# Function Modules

## Childproof product

Our power outlets boast a childproof protection system, rigorously tested to meet international standards. Designed with utmost safety in mind, these outlets ensure a secure environment, adhering to globally recognized benchmarks. Rest assured that our childproof features provide robust protection, guaranteeing a safe and reliable electrical solution for your home.




## Surge protection

We take power safety to the next level with built-in surge protection on our power outlets. Safeguard your devices from voltage spikes and surges, ensuring uninterrupted performance and extending the lifespan of your electronics. Trust us for advanced surge protection, providing peace of mind for your connected devices.



## EMI/Noise filters with Advanced X3 Mov technology

Our power outlets stand out with EMI/Noise filters and Advanced X3 MOV technology, ensuring a clean and efficient power supply. This innovative combination eliminates electromagnetic interference and unwanted noise, guaranteeing a reliable and stable power source for your devices. Experience optimal performance and protection with our advanced technology.



## Circuit Breaker

Redefines safety with our power outlets featuring a built-in circuit breaker switch. This smart addition ensures immediate protection against overloads and short circuits, providing a reliable shield for your devices and peace of mind for users. Experience a new level of safety.







CONNECTING THE FUTURE

## USB Charging

Enhance convenience with built-in USB slots on our power outlets. Charge your devices directly without the need for adapters, providing a seamless and efficient charging solution. With multiple options like USB A 3.0, USB A+ C, and USB C up to 95 watts power. Experience the future of connectivity with us, where power and versatility meet in a single outlet.

---



## Safety Shutter

Safety is paramount with our power outlets featuring innovative safety shutters. These built-in shutters provide an extra layer of protection, preventing accidental contact with live components. We ensure peace of mind, prioritizing safety in every socket for a secure and worry-free power experience.


---



## BIS Standards Indian Socket


We prioritize safety by featuring BIS (Bureau of Indian Standards) standard Indian sockets in our power outlets. Compliant with strict standards, these outlets offer a secure and reliable connection for your electronic devices, ensuring both safety and performance.

---



## Universal Sockets & UK sockets

Our power outlets feature Universal Socket, offering a versatile solution for global connectivity. This innovative feature accommodates a variety of plug types, including the UK plug, making it convenient for users worldwide. Experience seamless compatibility and enhanced flexibility with Universal Socket – where power meets adaptability





# Modular Power Tracks

## MX NUEVO C55

### RECESS MOUNT POWER & DATA TRACK

The MX C55 Recess mount modular track series is designed for straightforward recessed mount installation, catering to power, data, and multimedia needs while featuring a cable management compartment. Ideal for applications such as boardrooms, conference rooms, and meeting room tables, it comes highly recommended for office and original equipment manufacturer (OEM) segments in system furniture. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

#### SPECIFICATION

##### Electrical

Rated Voltage : 250V— Single-phase  
 Rated Current : 32 Amps (Max)  
 Frequency : 50 / 60Hz  
 Terminal Capacity : 1.25 mm<sup>2</sup> - 4 mm<sup>2</sup>

##### Material

Track Housing : Anodized Aluminum  
 End Cap : Polycarbonate  
 Busbar Carrier : Polycarbonate  
 Conductor : Phosphor Bronze (Copper)


##### Size

Standard Length : 400mm-1200mm (refer table)  
 Customization : Lengths & configuration available upon request



#### MX Nuevo C55

MX No.	Sizes	Dimensions
MX 6301-04	400mm	75 x 55
MX 6301-05	500mm	75 x 55
MX 6301-06	600mm	75 x 55
MX 6301-08	800mm	75 x 55
MX 6301-09	900mm	75 x 55
MX 6301-10	1000mm	75 x 55
MX 6301-12	1200mm	75 x 55



# Modular Power Tracks

## MX NUEVO C55 WIRELESS

### RECESS MOUNT COMPACT POWER & DATA TRACK

The MX C55 Recess mount modular track series is designed for straightforward recessed mount installation, catering to power, data, and multimedia needs while featuring a cable management compartment. Ideal for applications such as boardrooms, conference rooms, and meeting room tables, it comes highly recommended for office and original equipment manufacturer (OEM) segments in system furniture. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

#### SPECIFICATION

##### Electrical

Rated Voltage : 250V— Single-phase

Rated Current : 32 Amps (Max)

Frequency : 50 / 60Hz

Terminal Capacity : 1.25 mm<sup>2</sup> - 4 mm<sup>2</sup>

Wireless Charger : 15 Watts

##### Material

Track Housing : Anodized Aluminum

End Cap : Polycarbonate

Busbar Carrier : Polycarbonate

Conductor : Phosphor Bronze (Copper)

Finish: Black, Silver

##### Size


Standard Length : 400mm-1200mm (refer table)

Customization : Lengths & configuration available upon request



#### MX Nuevo C55 Wireless

MX No.	Sizes	Dimensions
MX 6301 Qi -04	400mm	75 x 55
MX 6301 Qi -05	500mm	75 x 55
MX 6301 Qi-06	600mm	75 x 55
MX 6301 Qi-08	800mm	75 x 55
MX 6301 Qi-09	900mm	75 x 55
MX 6301 Qi-10	1000mm	75 x 55
MX 6301 Qi-12	1200mm	75 x 55



# Modular Power Tracks

## MX NUEVO C34

### RECESS MOUNT COMPACT POWER & DATA TRACK

The MX C34 Recess mount modular track series is designed for straightforward recessed mount installation, catering to power, data, and multimedia needs while featuring a cable management compartment. Ideal for applications such as boardrooms, conference rooms, and meeting room tables, it comes highly recommended for office and original equipment manufacturer (OEM) segments in system furniture. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

#### SPECIFICATION

##### Electrical

Rated Voltage : 250V— Single-phase  
 Rated Current : 32 Amps (Max)  
 Frequency : 50 / 60Hz  
 Terminal Capacity : 1.25 mm<sup>2</sup> - 4 mm<sup>2</sup>

##### Material

Track Housing : Anodized Aluminum  
 End Cap : Polycarbonate  
 Busbar Carrier : Polycarbonate  
 Conductor : Phosphor Bronze (Copper)  
 Finish: Black, Silver


##### Size

Standard Length : 400mm-1200mm (refer table)  
 Customization : Lengths & configuration available upon request



#### MX Nuevo C34

MX No.	Sizes	Dimensions
MX 6302-04	400mm	75 x 34
MX 6302-05	500mm	75 x 34
MX 6302-06	600mm	75 x 34
MX 6302-08	800mm	75 x 34
MX 6302-09	900mm	75 x 34
MX 6302-10	1000mm	75 x 34
MX 6302-12	1200mm	75 x 34





# Standard Power Tracks

We set the standard with on-surface and in-surface tracks, providing a mid-height power solution ideal for office spaces, server rooms, display counters, kitchens, schools, and various shared environments. Engineered for effortless usability, it seamlessly integrates with free tabletop-mounted solutions. MX tracks are customizable, offering voice/data modules such as Cat 6, Cat 6a, Cat 6 shielded, and audio/video modules like HDMI, USB C, USB A 2.0/3.0, VGA, 3.5mm Stereo, Display Ports, USB C Charging and Retractable Modules.

**MX Wall to Wall** in-surface modular track series is the sleek and perfect solution for recessed power & data installations allowing easy access to power for tables, desk, partitions and kitchen dado. Plastically sleek and perfect to go with modular kitchen, living room OEM segment.

## SPECIFICATION

### Electrical

Rated Voltage : 250V— Single-phase  
 Rated Current : 32 Amps maximum  
 Frequency : 50 / 60Hz  
 Terminal Capacity : 1.25 mm<sup>2</sup> - 4 mm<sup>2</sup>

### Material

Track Housing : Anodized Aluminum  
 End Cap : Polycarbonate  
 Busbar Carrier : Polycarbonate  
 Conductor : Phosphor Bronze (Copper)  
 Finish: Black, Silver & Rose Gold


### Size

Standard Length : 400mm-1500mm (refer table)  
 Customization : Lengths & configuration available upon request




MX Surface Mount Track With Switch

MX No.	Sizes	Dimensions
MX 6000-04	400mm	70 x 25
MX 6000-06	600mm	70 x 25
MX 6000-08	800mm	70 x 25
MX 6000-10	1000mm	70 x 25
MX 6000-12	1200mm	70 x 25
MX 6000-15	1500mm	70 x 25




MX Surface Mount Track Without Switch

MX No.	Sizes	Dimensions
MX 6100	400mm	70 x 25
MX 6100A	600mm	70 x 25
MX 6100B	800mm	70 x 25
MX 6100C	1000mm	70 x 25
MX 6100D	1200mm	70 x 25
MX 6100E	1500mm	70 x 25





MX Recess Mount Track

MX No.	Sizes	Cutout (mm)
MX 6200	400mm	390 x 71
MX 6200A	600mm	590 x 71
MX 6200B	800mm	790 x 71
MX 6200C	1000mm	990 x 71
MX 6200D	1200mm	1190 x 71
MX 6200E	1500mm	1490 x 71



**WALL TO WALL POWER TRACK WITH INTERNAL & EXTERNAL CORNER CAPS & LINKS**







# OUR COLLECTION AT A GLANCE

Tired of dealing with scarce power points and hefty electrician bills?

**Dive into the seamless world of our power tracks – hassle-free installation, user-friendly design, and artistic outlets that cater to everyone's taste. Enjoy the flexibility of various adaptors and accessories, all at an unbeatable value.**

Each track is a masterpiece, meticulously hand-assembled and precision-perfected by cutting-edge machinery. At MX, our track record spans over a decade, marked by unwavering reliability, top-notch safety, and global acclaim. Crafted with precision in India, our products feature aerospace-grade aluminum, copper, stainless steel, and specially formulated polycarbonate for maximum durability.

Not just practical, our tracks exude elegance, sophistication, and undeniable functionality, sparking conversations with your guests and clients alike.

**Don't miss out – take control and elevate your power game today!**



Elegance and Sophistication

Freedom and Convenience

Safety and Durability

Advanced Technology

Premium Design

Durable Build Quality

Connected and Integrated

Home and Office

Form and Function


International Socket

Multimedia Accessories

Modular Terminals




You Tube



SCAN AND WATCH COMPLETE VIDEO ON YOUR TUBE

# Premium Series LED Adaptors



## Triple Safety


The MX Power track is an open circuit that can only be closed with an adaptor which matches up in depth, height and length. while a solid state shield prevents any current leakage.

## High Temperature Flame Retardant FR-PC Material


Adaptor shell apots PC high-efficiency flame retardant casing, preventing accidents




- |   |   |   |  |   |
|---|---|---|--|---|
|   |   |   |  |   |
| <p>MX 6021<br/>6 Amperes<br/>Indian Standard<br/>BIS Approved</p> | <p>MX 6015<br/>6/10/13 Amperes<br/>IN/EU/BS</p>       | <p>MX 6016<br/>6/13 Amperes<br/>IN/BS</p>         | <p>MX 6017<br/>13 Amperes<br/>BS</p>           | <p>MX 6018<br/>15 Amperes<br/>USA-JPN</p>             |
|   |   |   |  |   |
| <p>MX 6019<br/>C &amp; A 20 Watts<br/>USB Charger</p>             | <p>MX 6020<br/>C &amp; A 30 Watts<br/>USB Charger</p> | <p>MX 6022 WIFI<br/>6/13 Amperes<br/>IN/EU/BS</p> | <p>MX 6023 WIFI<br/>6/13 Amperes<br/>IN/BS</p> | <p>MX 6024 WIFI<br/>6 Amperes<br/>Indian Standard</p> |



Premium Adaptors  
Blue LED
























Classic Indian Adaptors  
6/16A



Classic Compact Adaptors

# Classic Series Adaptors

MX 6001 6/10/13 Amperes IN/EU/BS			
MX 6002 6/13 Amperes IN/BS			
MX 6003 6/16 Amperes India BIS Approved			
MX 6005 13 Amperes BS			
MX 6006 5V, 2400 mA USB Charger			
MX 6007-20W MX 6008-30W USB C+A Fast Charger			
MX 6011 16 Amperes Plug With Fuse			

## MULTIMEDIA CONNECTOR

							
MX 6031 Cat 3 Voice	MX 6032 USB 3.0	MX 6033 USB 2.0	MX 6034 VGA 15 Pin	MX 6035 Aux / Stereo 3.5 mm	MX 6037 Display Port	MX 6038 C+A 12W (2.4Amp)	MX 6039 C+A 18W (3.1Amp)
							
MX 6041 Cat-6 / CAT-6A Data	MX 6042 HDMI (4K)	MX 6043 USB Type C	MX 6044 USB 2.0	MX 6045 C+A PD 30W (5Amp)	MX 6046 C+A PD 30W Digital Display	MX 6047 Blank Plate	



# Modular Power Tracks

## MX NUEVO S68

### UNDER DESK POWER & DATA TRACK

The MX NUEVO S68 Under Desk Modular Track Series offers an ideal solution for power and data installations, providing easy access to power beneath the workstation and offering convenience for any under-desk application. Its modular design, including customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements. Suitable for various applications, including research facilities, libraries, laboratories, workshop desks, and more.

#### SPECIFICATION

##### Electrical

Rated Voltage : 250V— Single-phase  
 Rated Current : 32 Amps (Max)  
 USB Charging: 2 A Type Ports, 5V-2400mA (Side Caps)  
 Frequency : 50 / 60Hz  
 Terminal Capacity : 1.25 mm<sup>2</sup> - 4 mm<sup>2</sup>

##### Material

Track Housing : Anodized Aluminum  
 End Cap : Polycarbonate  
 Busbar Carrier : Polycarbonate  
 Conductor : Phosphor Bronze (Copper)  
 Finish : Black & Silver

##### Size


Standard Length : 400mm-1200mm (refer table)  
 Customization : Lengths & configuration available upon request



2 USB Charging 2.4 A

#### MX Nuevo S68

MX No.	Sizes	Dimensions
MX 6303-04	400mm	68 x 68
MX 6303-05	500mm	68 x 68
MX 6303-06	600mm	68 x 68
MX 6303-08	800mm	68 x 68
MX 6303-09	900mm	68 x 68
MX 6303-10	1000mm	68 x 68
MX 6303-12	1200mm	68 x 68



Under Desk



On Wall



Above Desk



# Modular Power Tracks

## MX NUEVO D88

### DESKTOP POWER & DATA TRACK

The MX D88 Desktop Modular Track Series presents an ideal solution for power and data installations, providing convenient access to power from the above tables and catering to all desktop applications. The end cap with USB charging ensures effortless connectivity and efficient space management. Desktop Modular Track is an ideal choice for workspace environments. They stand as the most popular solution for streamlined power and cable management, adjustable to fit specific length requirements

#### SPECIFICATION

##### Electrical

Rated Voltage : 250V— Single-phase

Rated Current : 32 Amps (Max)

USB Charging: 2 A Type Ports, 5V-2400mA (Side Caps)

Frequency : 50 / 60Hz

Terminal Capacity : 1.25 mm<sup>2</sup> - 4 mm<sup>2</sup>

##### Material

Track Housing : Anodized Aluminum

End Cap : Polycarbonate

Busbar Carrier : Polycarbonate

Conductor : Phosphor Bronze (Copper)

Finish : Black & Silver

##### Size


Standard Length : 400mm-1200mm (refer table)

Customization : Lengths & configuration available upon request




#### MX Nuevo D88


MX No.	Sizes	Dimensions
MX 6304-04	400mm	88 x 85
MX 6304-05	500mm	88 x 85
MX 6304-06	600mm	88 x 85
MX 6304-08	800mm	88 x 85
MX 6304-09	900mm	88 x 85
MX 6304-10	1000mm	88 x 85
MX 6304-12	1200mm	88 x 85




#### Customized Sockets on Request :




INDIAN SOCKET  
6 Amperes




UNIVERSAL SOCKET  
6 / 13 Amperes



INDIAN SOCKET  
6 / 13 Amperes



UNIVERSAL SOCKET  
6 / 16 Amperes




INDIAN SOCKET  
6 / 16 Amperes



USB A+C SOCKET  
12W (2.4Amp)  
18W (3.1Amp)  
30 W PD (5Amp)




USB A+C SOCKET  
30 W PD  
WITH DISPLAY



HDMI 4K SOCKET



RJ - 45 CAT-6/CAT-6A SOCKET



GST MALE / FEMALE CONNECTORS







# MX Freestanding TOWER TRACK

Freestanding Tower Tracks provide a stable and convenient solution for sharing power in any space. Their flexible design allows them to seamlessly integrate into any environment, bringing power and USB charging to previously unpowered areas. Supporting a wide variety of international sockets and offering optional integrated USB-A, USB-C charging ports and wireless charging, the Tower Tracks is ideal for situations where power needs to be relocated, making it perfect for open spaces inside or in front of experience centers, living rooms, lounges, public buildings, concourses and breakout areas. Customizable to any plug or multimedia socket configuration and adjustable to fit specific length requirements.

## SPECIFICATION

### Electrical

Rated Voltage : 250V— Single-phase  
 Rated Current : 16 Amperes (Max)  
 USB Charging: 2 A Type Ports, 5V-2400mA  
 USB Charging: Type C & A PD 30W  
 Frequency : 50 / 60Hz

### Material

Profile Housing : Anodized Aluminum  
 End Cap : Polycarbonate  
 Busbar Carrier : Polycarbonate  
 Conductor : Phosphor Bronze (Copper)  
 Finish: Silver & Black

### Size

Standard Track : 400mm  
 Customization : Available upon request



ONE WAY  
MX 6400 / MX 6401




TWO WAY  
MX 6402 / MX 6403



THREE WAY  
MX 6404 / MX 6405

## MX FREESTANDING TOWER TRACK

MX No.	USB A	USB A & C	Dimensions
MX 6400	YES	--	438 x 150 x 140
MX 6401	--	YES	438 x 150 x 140
MX 6402	YES	--	438 x 150 x 140
MX 6403	--	YES	438 x 150 x 140
MX 6404	YES	--	438 x 150 x 140
MX 6405	--	YES	438 x 150 x 140



# MX Freestanding POWER POLE

## Automatic power cut-off protection

Freestanding Power Pole offer stable and convenient power-sharing in any space, featuring automatic power cut-off protection in case of a fall. This flexible solution seamlessly integrates power and USB charging into previously unpowered areas. With universal sockets, HDMI, Cat-6, and optional integrated USB ports, the Power Pole is perfect for open spaces, including experience centers, living rooms, lounges, public buildings, concourses, and breakout areas. Customizable to any plug or multimedia socket configuration and adjustable to fit specific length requirements.

### SPECIFICATION

#### Electrical


Rated Voltage : 250V— Single-phase  
 Rated Current : 32 Amps (Max) & 6/16 Amps (Max)  
 Wireless Charger : 15 Watts  
 Frequency : 50 / 60 Hz  
 1 USB A + 1 USB C : 30W PD Fast Charging  
 1 USB A + 1 USB C : 30W PD Fast Charging  
 with Voltage Display  
 RJ-45 : CAT-6  
 Port : HDMI

#### Size

Standard Track : 400mm  
 Customization : Available upon request

#### Material

Profile Housing : Anodized Aluminum, ABS, FRP, GRP (Flame retardant)  
 Conductor : Phosphor Bronze (Copper)  
 End Cap & Bus bar Carrier: Polycarbonate  
 Finish: Silver - White - Black



**ONE WAY SQUARE**  
 6406 (Power Pole)  
 6407 (Power Pole)  
 6408 (Power Pole)  
 6409 (Power Pole)


**ONE WAY CONSOLE**  
 6410 (Power Pole)  
 6411 (Power Pole)  
 6412 (Power Pole)  
 6413 (Power Pole)



### MX FREESTANDING POWER POLE

MX No.	Universal Socket 6-13A	Power Track	Switch 6 A	USB A & C	USB A & C With Voltage Display	CAT 6	HDMI (4K)	Dimensions in MM
6406 Power Pole	04	—	1	Yes	—	Yes	Yes	800 x 260
6407 Power Pole	04	—	1	—	Yes	Yes	Yes	800 x 260
6408 Power Pole	—	Yes	—	Yes	—	Yes	Yes	800 x 260
6409 Power Pole	—	Yes	—	—	Yes	Yes	Yes	800 x 260
6410 Power Pole	04	—	1	Yes	--	Yes	Yes	800 x 260
6411 Power Pole	04	—	1	—	Yes	Yes	Yes	800 x 260
6412 Power Pole	—	Yes	—	Yes	—	Yes	Yes	800 x 260
6413 Power Pole	—	Yes	—	--	Yes	Yes	Yes	800 x 260
6414 Power Pole	--	Yes	1	Yes	--	--	--	800 x 260

#### Customized Sockets on Request :





# VERTICAL POWER AND DATA POLE FLOOR TO CEILING.

MX Vertical Power and Data Pole Floor to Ceiling. Protects cable running vertically. Maintenance a neat & clean look in your office. Its rigid cable protection unique profile. Compact & Sleek Design. The ultimate power pole is to route cables from the ceiling to the floor or from the ceiling to any table or counter top. Comes in BLACK & SILVER Finish. Our MX Power Pole can be any customized length from 2.5mtrs to 4mtrs. Just PLUG-n-PLAY, with all the supported cables supplied for a plug-n-play installation. We have multiple modules as per Customer Requirement.

## SPECIFICATION



Rated Voltage : 250 Volts — Single-phase

Rated Current : 6 -16 Amperes

Standard Finish: Black & Silver

Material : Aluminum, FRP, GRP (flame retardant)

Customization : Length Upon Request (1 WAY, 2 WAY & 4 WAY)



## Customized Sockets on Request :

INDIAN SOCKET 6 AMP	UNIVERSAL SOCKET 6 / 13 AMP	UNIVERSAL SOCKET 6 / 16 AMP	INDIAN SOCKET 6 / 16 AMP	USB A+C SOCKET 12W(2.4Amp) 18W(3.1Amp) 30 W PD (5Amp)	USB A+C SOCKET 30 W PD WITH DISPLAY	HDMI 4K SOCKET	RJ - 45 CAT-6 / CAT-6A SOCKET





# Desktop Console

The Desktop Consoles redefine power and cable management systems with their unmatched speed of installation, strength, versatility, aesthetics, and configurability. Featuring easy connectivity and space management, their end cap provides built-in USB charging for convenient access. Available in BIS standard Indian Socket (6 & 16 Amperes) with USB A 3.0, USB A + C, & USB C charging sockets, the Desktop Consoles are an ideal choice for workspace environments. They stand as the most popular solution for streamlined power and cable management, customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

## SPECIFICATION

### Electrical

Rated Voltage : 250V— Single-phase

Rated Current : 6-16 amps (Max)

USB Charger: 2 type A Ports 5V, 2400mA (Side Cap)



Finish: Silver - Black

Material : Aluminum, ABS, FRP, GRP (flame retardant)

Wiring : Pre -Wired 300mm Cable With Screwless Connector

Standard Pack : C type mounting clamps with fastening key.

Customization : Upon Request



### Key Features :

<p>PD Qualcomm Fast Charging for tablets &amp; laptop</p>	<p>Customizable Configuration &amp; Mounting's</p>	<p>Can be used above desk &amp; on wall</p>	<p>USB Charging on End Cap</p>	<p>Modular Design</p>
---	--	---	--	---------------------------

### Customized Sockets on Request :

<p>INDIAN SOCKET 6 Amperes</p>	<p>UNIVERSAL SOCKET 6 / 13 Amperes</p>	<p>INDIAN SOCKET 6 / 13 Amperes</p>	<p>UNIVERSAL SOCKET 6 / 16 Amperes</p>	<p>INDIAN SOCKET 6 / 16 Amperes</p>	<p>USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp)</p>	<p>USB A+C SOCKET 30 W PD WITH DISPLAY</p>	<p>HDMI 4K SOCKET</p>	<p>RJ - 45 CAT-6/CAT-6A SOCKET</p>	<p>GST MALE / FEMALE CONNECTORS</p>
--	--	---	--	---	--	--	---------------------------	--	---



## DESKTOP CONSOLES

MX No.	Universal Socket 6/13 Amperes	Universal Socket 6/16 Amperes	Switch 16/16 Amperes	USB A 3.0 USB C 65 Watts	USB A 3.0 USB C 95 Watts	USB A 5V 2400mA Side Cap	Dimensions in MM
4173	2		6 Amperes			2	152 x 88 x 85
4174	3		6 Amperes			2	200 x 88 x 85
4175	4		6 Amperes			2	246 x 88 x 85
4176	6		6 Amperes			2	340 x 88 x 85
4177		2	16 Amperes			2	152 x 88 x 85
4178		3	16 Amperes			2	200 x 88 x 85
4179		4	16 Amperes			2	246 x 88 x 85
4180		6	6 Amperes			2	340 x 88 x 85
4181	2		6 Amperes	1		2	200 x 88 x 85
4182	3		6 Amperes	1		2	246 x 88 x 85
4183	4		6 Amperes	1		2	394 x 88 x 85
4184	6		6 Amperes	1		2	388 x 88 x 85
4185	2		6 Amperes		1	2	205 x 88 x 85
4186	3		6 Amperes		1	2	251 x 88 x 85
4187	4		6 Amperes		1	2	299 x 88 x 85
4188	6		6 Amperes		1	2	393 x 88 x 85
4189		2	16 Amperes	1		2	200 x 88 x 85
4190		3	16 Amperes	1		2	246 x 88 x 85
4191		4	16 Amperes	1		2	394 x 88 x 85
4192		6	16 Amperes	1		2	388 x 88 x 85
4193		2	16 Amperes		1	2	205 x 88 x 85
4194		3	16 Amperes		1	2	251 x 88 x 85
4195		4	16 Amperes		1	2	299 x 88 x 85
4196		6	16 Amperes		1	2	393 x 88 x 85

## DESKTOP CONSOLES ROTATABLE SOCKETS 180°

MX No.	Universal Socket 6/13 Amperes	Switch 6 Amperes	USB A 3.0 USB C 65 Watts	USB A 3.0 USB C 95 Watts	USB A 5V 2400mA Side Cap	Dimensions in MM
4197	2	6 Amperes			2	184 x 88 x 85
4198	3	6 Amperes			2	234 x 88 x 85
4199	4	6 Amperes			2	284 x 88 x 85
4200	6	6 Amperes			2	384 x 88 x 85
4201	2	6 Amperes	1		2	232 x 88 x 85
4202	3	6 Amperes	1		2	282 x 88 x 85
4203	4	6 Amperes	1		2	332 x 88 x 85
4204	6	6 Amperes	1		2	432 x 88 x 85
4205	2	6 Amperes		1	2	236 x 88 x 85
4206	3	6 Amperes		1	2	286 x 88 x 85
4207	4	6 Amperes		1	2	336 x 88 x 85
4208	6	6 Amperes		1	2	436 x 88 x 85





# Under Desk Console

The Under Desk Consoles revolutionize power management with their unparalleled features: rapid installation, exceptional strength, unmatched versatility, sleek aesthetics, and remarkable configurability. The convenient end-cap with built-in USB charging ensures easy access and efficient space utilization. Available in BIS standard Indian Socket (6 & 16 Amperes) with USB A 3.0, USB A + C, & USB C charging sockets, the Under Desk Consoles are an ideal choice for workspace environments. They stand as the most popular solution for streamlined power and cable management, customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

## SPECIFICATION

### Electrical

Rated Voltage : 250V— Single-phase

Rated Current : 6-16 amps (Max)


USB Charger: 2 type A Ports 5V, 2400mA (Side Cap)

Finish: Silver & Black Anodized

Material : Aluminum, ABS, FRP, GRP (flame retardant)

Wiring : Pre -Wired 300mm Cable With Screwless Connector












Customization : Upon Request



### Key Features :

 PD Qualcomm Fast Charging for tablets & laptop	 Customizable Configuration & Mounting's	 Can be used above desk & on wall	 USB Charging on End Cap	 Modular Design
---	--	---	--	---

### Customized Sockets on Request :

 INDIAN SOCKET 6 AMP	 UNIVERSAL SOCKET 6 / 13 AMP	 INDIAN SOCKET 6 / 13 AMP	 UNIVERSAL SOCKET 6 / 16 AMP	 INDIAN SOCKET 6 / 16 AMP	 UNIVERSAL SOCKET 180° Rotatable 6 / 13 AMP	 USB A+C SOCKET 12W(2.4Amp) 18W(3.1Amp) 30 W PD (5Amp)	 USB A+C SOCKET 30 W PD WITH DISPLAY	 HDMI 4K SOCKET	 RJ - 45 Cat-6 / CAT-6A SOCKET	 GST MALE / FEMALE CONNECTORS
--	--	---	--	---	--	--	---	--	--	---

## UNDER DESK CONSOLES

MX No.	Universal Socket 6/13 Amperes	Universal Socket 6/16 Amperes	Switch	USB A 3.0 USB C 65 Watts	USB A 3.0 USB C 95 Watts	USB A 5V 2400mA Side Cap	Dimensions in MM
6407	2		6 Amperes			2	235 x 68 x 68
6408	3		6 Amperes			2	285 x 68 x 68
6409	4		6 Amperes			2	335 x 68 x 68
6410	6		6 Amperes			2	435 x 68 x 68
6411		2	16 Amperes			2	235 x 68 x 68
6412		3	16 Amperes			2	285 x 68 x 68
6413		4	16 Amperes			2	335 x 68 x 68
6414		6	16 Amperes			2	435 x 68 x 68
6415	2		6 Amperes	1		2	285 x 68 x 68
6416	3		6 Amperes	1		2	335 x 68 x 68
6417	4		6 Amperes	1		2	385 x 68 x 68
6418	6		6 Amperes	1		2	485 x 68 x 68
6419	2		6 Amperes		1	2	290 x 68 x 68
6420	3		6 Amperes		1	2	340 x 68 x 68
6421	4		6 Amperes		1	2	390 x 68 x 68
6422	6		6 Amperes		1	2	490 x 68 x 68
6423		2	16 Amperes	1		2	285 x 68 x 68
6424		3	16 Amperes	1		2	335 x 68 x 68
6425		4	16 Amperes	1		2	385 x 68 x 68
6426		6	16 Amperes	1		2	485 x 68 x 68
6427		2	16 Amperes		1	2	290 x 68 x 68
6428		3	16 Amperes		1	2	340 x 68 x 68
6429		4	16 Amperes		1	2	390 x 68 x 68
6430		6	16 Amperes		1	2	490 x 68 x 68

## UNDER DESK CONSOLES ROTATABLE SOCKETS 180°

MX No.	Universal Socket 6/13 Amperes	Switch	USB A 3.0 USB C 65 Watts	USB A 3.0 USB C 95 Watts	USB A 5V 2400mA Side Cap	Dimensions in MM
6431	2	6 Amperes			2	270 x 68 x 68
6432	3	6 Amperes			2	320 x 68 x 68
6433	4	6 Amperes			2	370 x 68 x 68
6434	6	6 Amperes			2	470 x 68 x 68
6435	2	6 Amperes	1		2	350 x 68 x 68
6436	3	6 Amperes	1		2	400 x 68 x 68
6437	4	6 Amperes	1		2	450 x 68 x 68
6438	6	6 Amperes	1		2	550 x 68 x 68
6439	2	6 Amperes		1	2	355 x 68 x 68
6440	3	6 Amperes		1	2	405 x 68 x 68
6441	4	6 Amperes		1	2	455 x 68 x 68
6442	6	6 Amperes		1	2	555 x 68 x 68






# MX NUEVO C55

## In-Surface Power Distribution Unit


Engineered for effortless recessed installation, the C55 In-surface power distribution unit series seamlessly integrates power, data, and multimedia connectivity within a dedicated cable management compartment. Its sleek aluminum alloy housing makes it suitable for a variety of workstations and executive tables, making it a highly recommended solution for office and system furniture OEMs.



# MX NUEVO C34

## In-Surface Sleek Power Distribution Unit

MX C34 In-surface power distribution unit series is engineered for simple recessed mount installation to cater power, data and multimedia in a low depth profile. A perfect solution for recessed power & data installations allowing easy access to power for tables, desk, and partitions. Plastically sleek and perfect to go with the home & office workspace.



### SPECIFICATION

Electrical

Rated Voltage : 250v — Single - phase

Rated Current : 6/16 Amperes (Max)

1USB A + 1USB C : 30W PD Fast Charging

1USB A + 1USB C : 30W PD Fast Charging with Voltage Display

RJ-45 : CAT -6 / CAT 6 A

Port : HDMI 4K

Finish : Silver - Black

Wiring : Pre -Wired 300mm Cable With Screwless Connector


Material : Aluminum, ABS, FRP, GRP(Flame retardant)

Conductor : 100% Copper Contacts Plated

Size Standard length : 2/3/4 & 6 Way

Customization : Upon Request

### Key Features :















## MX NUEVO C55


MX No.	Universal Socket 6/13 Amperes	Universal Socket 6-16 Amperes	Switch	USB A & C	USB A & C With Voltage Display	CAT 6	HDMI	Dimensions Cut Size
7031	02		6 Amperes	Yes		Yes	Yes	235 x 67 x 55
7032	03		6 Amperes	Yes		Yes	Yes	290 x 67 x 55
7033	04		6 Amperes	Yes		Yes	Yes	345 x 67 x 55
7034	06		6 Amperes	Yes		Yes	Yes	424 x 67 x 55
7035		02	16 Amperes	Yes		Yes	Yes	235 x 67 x 55
7036		03	16 Amperes	Yes		Yes	Yes	290 x 67 x 55
7037		04	16 Amperes	Yes		Yes	Yes	344 x 67 x 55
7038		06	16 Amperes	Yes		Yes	Yes	424 x 67 x 55
7039	02		6 Amperes		Yes	Yes	Yes	260 x 67 x 55
7040	03		6 Amperes		Yes	Yes	Yes	315 x 67 x 55
7041	04		6 Amperes		Yes	Yes	Yes	368 x 67 x 55
7042	06		6 Amperes		Yes	Yes	Yes	424 x 67 x 55
7043		02	16 Amperes		Yes	Yes	Yes	260 x 67 x 55
7044		03	16 Amperes		Yes	Yes	Yes	315 x 67 x 55
7045		04	16 Amperes		Yes	Yes	Yes	368 x 67 x 55
7046		06	16 Amperes		Yes	Yes	Yes	424 x 67 x 55

## MX NUEVO C34

7047	02		6 Amperes	Yes		Yes	Yes	235 x 67 x 40
7048	03		6 Amperes	Yes		Yes	Yes	290 x 67 x 40
7049	04		6 Amperes	Yes		Yes	Yes	345 x 67 x 40
7050	06		6 Amperes	Yes		Yes	Yes	424 x 67 x 40
7051		02	16 Amperes	Yes		Yes	Yes	235 x 67 x 40
7052		03	16 Amperes	Yes		Yes	Yes	290 x 67 x 40
7053		04	16 Amperes	Yes		Yes	Yes	344 x 67 x 40
7054		06	16 Amperes	Yes		Yes	Yes	424 x 67 x 40
7055	02		6 Amperes		Yes	Yes	Yes	260 x 67 x 40
7056	03		6 Amperes		Yes	Yes	Yes	315 x 67 x 40
7057	04		6 Amperes		Yes	Yes	Yes	368 x 67 x 40
7058	06		6 Amperes		Yes	Yes	Yes	424 x 67 x 40
7059		02	16 Amperes		Yes	Yes	Yes	260 x 67 x 40
7060		03	16 Amperes		Yes	Yes	Yes	315 x 67 x 40
7061		04	16 Amperes		Yes	Yes	Yes	368 x 67 x 40
7062		06	16 Amperes		Yes	Yes	Yes	424 x 67 x 40

### Customized Sockets on Request :

									
INDIAN SOCKET 6 Amperes	UNIVERSAL SOCKET 6 / 13 Amperes	INDIAN SOCKET 6 / 13 Amperes	UNIVERSAL SOCKET 6 / 16 Amperes	INDIAN SOCKET 6 / 16 Amperes	USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp)	USB A+C SOCKET 30 W PD WITH DISPLAY	HDMI 4K SOCKET	RJ - 45 CAT-6/CAT-6A SOCKET	GST MALE / FEMALE CONNECTORS



# EMBEDDED POWER & DATA SOCKET - SCREW TYPE


The MX Embedded Power and Data Socket Interlink, a seamless solution for power access and integrated connectivity in your workstation. Designed for a neat and organized workspace, this product comes with a dedicated power supply for a consistent and reliable source. The all-in-one power supply includes multiple sockets, USB A+C chargers, CAT 6 ports, HDMI, and a lengthy power cable. Elevate your workspace with this user-friendly solution that combines power and connectivity in one sleek package.

## SPECIFICATION

- Rated Voltage : 250 Volts — Single-phase
- Rated Current : 6 -13 Amperes
- USB Charger: 1USB A+C 12/18/30 Watts PD Fast Charging
- Finish: Black, Silver, & White Anodized
- Material : Aluminum, FRP, GRP (flame retardant)
- Wiring : Pre -Wired 300mm Cable With Screwless Connector
- Data : HDMI, Cat6, Cat3 & USB-C
- Customization : Length Upon Request



MX No.	Indian or Universal Socket	USB A+C 30W PD	CAT 6	HDMI 4K	Dual Pole Switch 6 AMP	Dimensions	Dimensions Cut Size
7075	3	Yes	Yes	Yes	Yes	280x57x50	252 x 52



## Key Features :

- PD Qualcomm Fast Charging for tablets & laptop
- Customizable Configuration & Mounting's
- Can be used above desk & on wall
- Modular Design



## Customized Sockets on Request :

- INDIAN SOCKET 6 AMP
- UNIVERSAL SOCKET 6 / 13 AMP
- USB A+C SOCKET 12W(2.4Amp) 18W(3.1Amp) 30 W PD (5Amp)
- HDMI 4K SOCKET
- RJ - 45 CAT-6 / CAT-6A SOCKET
- TELEPHONE SOCKET CAT-3
- GST MALE / FEMALE CONNECTORS

# EMBEDDED POWER & DATA SOCKET - PUSH TYPE

The MX Embedded Power and Data Socket Interlink, a seamless solution for power access and integrated connectivity in your workstation. Designed for a neat and organized workspace, this product comes with a dedicated power supply for a consistent and reliable source. The all-in-one power supply includes multiple sockets, USB A+C chargers, CAT 6 ports, HDMI, and a lengthy power cable. Elevate your workspace with this user-friendly solution that combines power and connectivity in one sleek package.

## SPECIFICATION

Rated Voltage : 250 Volts — Single-phase

Rated Current : 6 -13 Amperes

USB Charger: 1USB A+C 12/18/30 Watts PD Fast Charging

Finish: Black, Silver, & White Anodized

Material : Aluminum, FRP, GRP (flame retardant)



Wiring : Pre -Wired 300mm Cable With Screwless Connector

Data : HDMI, Cat6, Cat3 & USB-C

Customization : Length Upon Request



MX No.	Indian or Universal Socket	USB A+C 30W PD	CAT 6	HDMI 4K	Dual Pole Switch 6 AMP	Dimensions	Dimensions Cut Size
7076	3	Yes	Yes	Yes	Yes	280x57x50	252 x 52



## Key Features :

- PD Qualcomm Fast Charging for tablets & laptop
- Customizable Configuration & Mounting's
- Can be used above desk & on wall
- Modular Design

## Customized Sockets on Request :

- INDIAN SOCKET 6 AMP
- UNIVERSAL SOCKET 6 / 13 AMP
- USB A+C SOCKET 12W(2.4Amp) 18W(3.1Amp) 30 W PD (5Amp)
- HDMI 4K SOCKET
- RJ - 45 CAT-6 / CAT-6A SOCKET
- TELEPHONE SOCKET CAT-3
- GST MALE / FEMALE CONNECTORS

# UNDER DESK SOCKET

The MX Under Desk Socket revolutionize power management with their unparalleled features: rapid installation, exceptional strength, unmatched versatility, sleek aesthetics, and remarkable configurability. space utilization. Available in BIS standard Indian Socket (6 & 16 Amperes) with USB A 3.0, USB A + C, & USB C charging sockets, the Under Desk Consoles are an ideal choice for workspace environments. They stand as the most popular solution for streamlined power and cable management, customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

## SPECIFICATION

Rated Voltage : 250V— Single-phase

Rated Current : 6-16 amps (Max)

USB Charger: 2 type A Ports 5V, 2400mA

Finish: Black Anodized


Material : Aluminum, FRP, GRP (flame retardant)

Wiring : Pre -Wired 300mm Cable With Screwless Connector

Customization : Length Upon Request



MX No.	Indian or Universal Socket	USB A+C 30W PD	CAT 6	HDMI 4K	2 USB A 5W 2400mA	Dimensions
7077	4	Yes	Yes	Yes	Yes	383x59x34



## Key Features :

- PD Qualcomm Fast Charging for tablets & laptop
- Customizable Configuration & Mounting's
- Can be used above desk & on wall
- USB Charging on End Cap
- Modular Design

## Customized Sockets on Request :

INDIAN SOCKET 6 AMP	UNIVERSAL SOCKET 6/ 13 AMP	UNIVERSAL SOCKET 6/ 16 AMP	INDIAN SOCKET 6/ 16 AMP	2 USB A SOCKET 5V-2400 mA	USB A+C SOCKET 65 W PD	USB A+C SOCKET 95 W PD	RJ - 45 CAT-6/CAT-6A SOCKET	TELEPHONE SOCKET CAT-3	GST MALE / FEMALE CONNECTORS





# Power Cubby Slider Flap

The Power Cubby with Slider Flap boasts quick and simple installation. Shrouded screw terminals simplify power connections, while feed-through multimedia ports ensure seamless connectivity. It comes with a wireless charging option, and the convenient sliding flap provides easy access with magnetic soft closing to keep your workspace organized. Crafted from durable aluminum alloy, this cubby seamlessly integrates into various workstation and executive table setups. It is customizable to any plug or multimedia socket configuration and adjustable to fit specific length requirements.

## SPECIFICATION

Rated Voltage : 250V~ Single Phase

Rated Current : 6-16 Amperes (Max)

USB Charger : Type A & C Ports 12, 18, 30 PD Watts

Material : Aluminium, Polycarbonate

Finish Colors : Silver & Black (Anodized)


Rose Gold **(ON REQUEST)**

Wiring : Pre -Wired 300mm Cable With

Screwless Connector



MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7005-2U	2	1	1	1	Yes	–	280x100x30	275x72
7005-3U	3	1	1	1	Yes	–		
7005A	2	1	1	1	–	Yes		
7005A-3U	3	1	1	1	–	Yes		



# Power Cubby Slider Flap Wireless

The Power Cubby with Slider Flap, featuring an additional wireless charger, offers quick and simple installation. Shrouded screw terminals simplify power connections, while feed-through multimedia ports ensure seamless connectivity. It includes a wireless charging option, and the convenient sliding flap provides easy access with a magnetic soft closing mechanism to keep your workspace organized. Crafted from durable aluminium alloy, this cubby seamlessly integrates into various workstation and executive table setups. It is customizable to any plug or multimedia socket configuration and adjustable to fit specific length requirements.

## SPECIFICATION

Rated Voltage : 250V~ Single Phase

Rated Current : 6-13 Amperes (Max)

USB Charger : Type A & C Ports 12, 18, 30 PD Watts

Wireless Charger : 15 Watts

Material : Aluminium, Polycarbonate

Finish Colors : Silver & Black (Anodized)


Rose Gold **(ON REQUEST)**

Wiring : Pre -Wired 300mm Cable With


Screwless Connector



MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7005 SD Qi -2U	2	1	1	1	Yes	–	280x100x30	275x72
7005 SD Qi-3U	3	1	1	1	Yes	–		
7005A SD Qi-2U	2	1	1	1	--	Yes		
7005A SD Qi - 3U	3	1	1	1	--	Yes		



## Customized Sockets on Request :





# Power Cubby Double Flap


Power Cubby with Slider Flap allows the installation processes to be adapted quickly & simply. Easy power connection with shrouded screw terminals for power and feed-through multimedia connectivity. Sliding flap function gives convenience to open and close the panel. Aluminum alloy material, suitable for varieties of workstation & executive tables.

## SPECIFICATION

Rated Voltage : 250V~ Single Phase  
 Rated Current : 6-13Amps (Max)  
 USB Charger : Type C & A Ports 12, 18, 30 PD Watts  
 Material : Aluminium, Polycarbonate  
 Finish Colors : Silver & Black (Anodized)  
 Wiring : Pre -Wired 300mm Cable With Screwless Connector



MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7005	2	1	1	1	Yes	--	275x87x55	267x67
7005-3U	3	1	1	1	Yes	--	329x87x55	321x67
7005A	2	1	1	1	--	Yes	275x87x55	267x67
7005A-3U	3	1	1	1	--	Yes	329x87x55	321x67



# Power Cubby Double Flap Wireless


The Power Cubby with Double Flap ensures a swift and straightforward installation process. Shrouded screw terminals simplify power connections, while feed-through multimedia ports guarantee seamless connectivity. The convenience of a double sliding flap allows easy access, facilitated by a magnetic soft closing mechanism to maintain workspace organization. Crafted from durable aluminium alloy, this cubby seamlessly integrates into a variety of workstation and executive table setups. It offers customization options for any plug or multimedia socket configuration and is adjustable to meet specific length requirements.

## SPECIFICATION


Rated Voltage : 250V~ Single Phase  
 Rated Current : 6-13Amps (Max)  
 USB Charger : Type C & A Ports 12, 18, 30 PD Watts  
 Material : Aluminium, Polycarbonate  
 Finish Colors : Silver & Black (Anodized)  
 Wiring : Pre -Wired 300mm Cable With Screwless Connector



MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7005 DD Qi - 2U	2	1	1	1	Yes	--	370x87x55	362x67
7005 DD Qi -3U	3	1	1	1	Yes	--	478x87x55	470x67
7005A DD Qi - 2U	2	1	1	1	--	Yes	370x87x55	362x67
7005A DD Qi-3U	3	1	1	1	--	Yes	478x87x55	470x67



## Customized Sockets on Request :



# Power Cubby Flap Up

Power Cubby with Flap Up simplifies installation with its quick and simple design. Easy power connection is enabled by shrouded screw terminals, while feed-through multimedia ports provide seamless connectivity. The convenient up-flap function enables effortless access and closure, ensuring a clutter-free workspace. Crafted from durable aluminum alloy, this power cubby seamlessly integrates with various workstation and executive table configurations. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements



## SPECIFICATION

Rated Voltage : 250V~Single phase

Rated Current : 6-13Amps (Max)


USB Charger: Type C & A 12, 18, 30 PD Watts

Material : Aluminium, Polycarbonate


Finish Colors : Silver & Black (Anodized)

Wiring : Pre -Wired 300mm Cable With Screwless Connector


MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7008-2U	2	1	1	1	Yes	–	275x87x55	267x67
7008-3U	3	1	1	1	Yes	–	329x87x55	321x67
7008A-2U	2	1	1	1	–	Yes	275x87x55	267x67
7008A-3U	3	1	1	1	--	Yes	329x87x55	321x67




## Customized Sockets on Request :




INDIAN  
SOCKET  
6 Amperes



INDIAN  
SOCKET  
6 / 16 Amperes



UNIVERSAL  
SOCKET  
6 / 13 Amperes




UNIVERSAL  
SOCKET  
6 / 16 Amperes




USB A+C  
SOCKET  
30 W PD




USB A+C  
SOCKET  
30 W PD  
WITH DISPLAY




HDMI 4K  
SOCKET



RJ - 45  
CAT-6 / CAT-6A  
SOCKET



SWITCH  
6/16 Amps



GST  
MALE / FEMALE  
CONNECTORS

# Power Cubby Flap Up Wireless

The Power Cubby with Flap Up, featuring an additional wireless charger, simplifies installation with its quick and straightforward design. Shrouded screw terminals facilitate easy power connections, while feed-through multimedia ports ensure seamless connectivity. The convenient up-flap function enables effortless access and closure, ensuring a clutter-free workspace. Crafted from durable aluminum alloy, this power cubby seamlessly integrates with various workstation and executive table configurations. It is customizable to any plug or multimedia socket configuration and adjustable to fit specific length requirements.



## SPECIFICATION

Rated Voltage : 250V~Single phase

Rated Current : 6-13Amps (Max)


USB Charger: Type C & A 12, 18, 30 PD Watts

Material : Aluminium, Polycarbonate


Finish Colors : Silver & Black (Anodized)

Wiring : Pre -Wired 300mm Cable With Screwless Connector


MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7008 SD Qi-2U	2	1	1	1	Yes	–	309x87x55	301x67
7008 SD Qi-3U	3	1	1	1	Yes	–	363x87x55	355x67
7008A SD Qi- 2U	2	1	1	1	–	Yes	309x87x55	301x67
7008A SD Qi-3U	3	1	1	1	--	Yes	363x87x55	355x67




## Customized Sockets on Request :



INDIAN  
SOCKET  
6 Amperes



INDIAN  
SOCKET  
6 / 16 Amperes




UNIVERSAL  
SOCKET  
6 / 13 Amperes




UNIVERSAL  
SOCKET  
6 / 16 Amperes



USB A+C  
SOCKET  
30 W PD




USB A+C  
SOCKET  
30 W PD  
WITH DISPLAY




HDMI 4K  
SOCKET



RJ - 45  
CAT-6 / CAT-6A  
SOCKET



SWITCH  
6/16 Amps



GST  
MALE / FEMALE  
CONNECTORS



# Power Cubby Flap-Meld Sockets

Power cable cubby featuring melded sockets for seamless cable management, buffer damping for silent operation, and a convenient up-flap design, the Power Flap simplifies installation and enhances user experience. Pre-wired power code and feed-through multimedia connectivity ensure effortless setup, while the up-flap function provides easy access, cable management, and a smooth, quiet operation. Crafted from durable aluminum alloy, this power flap seamlessly integrates into diverse workstation and executive table configurations. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements



## SPECIFICATION

### Electrical

Rated Voltage : 250V~ Single Phase

Rated Current : 6-13 Amperes (Max)

USB Charger : A+C Type 12, 18, 30 PD Watts



Material : Aluminium, Polycarbonate

Finish Colors : Silver & Black (Anodized)


Wiring : Pre -Wired 300mm Cable With Screwless Connector

Customized : Upon Request


MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	USB A Data	VGA 15 Pin	Aux 3.5	Silver	Black	Dimensions (mm)	Cutout (mm)
7009	3	2	1	1	-	-	-	Yes	-	325X160X50	310X148
7009A (Black)	3	2	1	1	-	-	-	-	Yes	325X160X50	310X148



### Customized Sockets on Request :




INDIAN  
SOCKET  
6 Amperes



UNIVERSAL  
SOCKET  
6 / 13 Amperes




USB A+C  
SOCKET  
12W (2.4Amp)  
18W (3.1Amp)  
30 W PD (5Amp)




HDMI 4K  
SOCKET



RJ - 45  
CAT-6 / CAT-6A  
SOCKET



SWITCH  
6 Amps



GST  
MALE / FEMALE  
CONNECTORS



# Solo Power Manager

The Solo Power Manager is a compact, single-outlet power solution designed to enhance any solo workspace. It offers a universal electrical receptacle, fast-charging USB-A and USB-C ports (30W total), Cat 6 networking, and an HDMI port, making it ideal for home offices, studios, study tables, bedside tables, leisure sofas, and more. This versatile unit can be panel-mounted to any surface, bringing essential power and connectivity right where you need it.





## SPECIFICATION

Rated Voltage : 250V~Single phase  
 Rated Current : 6-13 Amperes (Max)  
 USB Charger : A+C 12, 18, 30 PD Watts  
 Material : Polycarbonate  
 Finish Colors : Black & Silver  
 Wiring : Pre -Wired 300mm Cable With Screwless Connector


## Configuration

1 Universal Socket ,  
 1 USB A+ C 30W Fast Charging,  
 1 Cat 6 & 1 HDMI  
 Dimension: 220 X 58 X 45 MM  
 Cutout Dimension: Cut Size - 195 X 50 (R-25)MM  
 Customized : Upon Request


MX No.	Universal Socket 6-13 Amperes	2 USB A + C 30 Watts	Data Cat OPTIONAL	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7014	1	1	1	1	--	Yes	202 x 56.5 x 48	195 X 50
7014 A (Silver)	1	1	1	1	Yes	--	202 x 56.5 x 48	195 X 50



## Customized Sockets on Request :




INDIAN  
SOCKET  
6 AMP



UNIVERSAL  
SOCKET  
6 / 13 AMP




USB A+C  
SOCKET  
12W (2.4Amp)  
18W (3.1Amp)  
30 W PD (5Amp)



HDMI 4K  
SOCKET



RJ - 45  
CAT-6 / CAT-6A  
SOCKET



GST  
MALE / FEMALE  
CONNECTORS





# Furniture Nested Power Receptacles

Furniture Nested Power Receptacles discreetly integrate power and charging solutions into your furniture without compromising the design aesthetic. The customizable surround frame blends seamlessly with your décor, ensuring a perfect match. This versatile product offers universal power sockets, fast-charging USB-C and USB-A ports (30W total PD), and optional Cat6 data or HDMI ports, catering to your connectivity needs.




## SPECIFICATION

Rated Voltage : 250V~Single Phase  
 Rated Current : 10 Amperes (Max)  
 USB Charger : USB C+ A Ports PD 18-30 Watts  
 Material : Polycarbonate  
 Finish Colors : Surround Frame  
 Black / Silver / Wooden  
 Customized Finish : Available upon request


Wiring : Pre -Wired 300mm Cable With Screwless Connector  
 Standard pack : With Surround Plate  
 Standard Configuration: 2 Universal Sockets & USB Charger, A+C PD 18-30 Watts, Cat 6 / Cat 6A or HDMI (Optional)  
 Dimension : 182mm x 57.5mm x 43mm  
 Cutout Dimension: 156mm x 50mm

MX No.	Colors	Universal Socket 6-13 Amperes	USB A & C 30 Watts	CAT 6 OR HDMI	Dimensions (mm)	Cutout (mm)
7015	Receptacles Black	02	Yes	Yes	182 x 58 x 43	156 x 50
7016	Receptacles Silver Decor	02	Yes	Yes	182 x 58 x 43	156 x 50
7017	Receptacles Wooden Decor	02	Yes	Yes	182 x 58 x 43	156 x 50

Note : CAT 6 / CAT 6A or HDMI Port Optional



## Customized Sockets on Request :





# Hexad Power Console

The Hexad Power Console presents an innovative answer to power and charging requirements, boasting a distinctive aesthetic and design. It features convenient Qi-rated wireless charging and offers customizable configurations with 3, 4, or 5 universal electrical receptacles, accompanied by a USB-A port and a USB-C port equipped with Power Delivery (30W) and a wireless charger. Meticulously crafted from high-grade engineered polycarbonate, these power consoles are well-suited for diverse settings, such as multifunctional desks, lab workstations, circular meeting rooms, cafe tables, and negotiation tables

- Distinctive Design
- Wireless Charging Convenience
- Configurable Options
- High-Quality Construction
- USB-A and USB-C Ports



## SPECIFICATION

Rated Voltage : 250V~ Single Phase

Rated Current : 6-13A

USB Charger : Type C & A 30 W

Material : Polycarbonate

Finish Colors : White - Black


Wiring: 3 x 1mm<sup>2</sup> Cable 1.5 meter with 6 Amps Plug.

Standard pack : Locking clasp ring.

Dimension : 173 mm x 144 mm

Cutout Dimension: Ø 85 mm

MX No.	Universal Socket 6-13A	USB A 3.0 A USB C 30W PD	Top Wireless 15W	Data CAT6 Pre-Wired Cable	HDMI 4K Pre-Wired Cable
7013	5	1	-	-	-
7013A	5	1	1	-	-
7013B	4	1	-	2	-
7013C	4	1	1	2	-
7013D	3	1	-	2	1
7013E	3	1	1	1	1



Note : All above models available in White-Black and Black Colours.



# Desktop Power Grommet

The Desk Grommet combines power and USB charging in one sleek and organized unit, providing convenient desktop access. It seamlessly fits into a standard 60mm diameter hole, making installation, upgrades, and replacements a breeze. This in-desk solution eliminates cable clutter and delivers easily accessible power and USB charging, with customizable options available. Featuring an adjustable screw collar, it securely fits desks, tables, and worktops up to 50mm thick, maximizing efficiency and functionality in your workspace.

- Secure Fit for Various Surfaces
- Adaptable Installation
- Clutter-Free Workspace
- Individually Configurable



## SPECIFICATION

Rated Voltage : 250V~ Single Phase

Rated Current : 6-13 Amperes

USB Charger : Type A + C 30 Watts PD Fast Charging

Material : Flame Retardent Nylon Glass Field


Finish Colors : Black

Wiring : Pre -Wired 300mm Cable With Screwless Connector





Standard pack : Locking clasp ring.

Dimension : 104 x 110 x 79.8 mm

Cutout Dimension: Ø 80 mm



MX No.	Universal Socket 6-13 Amperes	Indian Socket	Indian Socket 6-16 Amperes	USB A+C 30 Watts PD	Wireless 15 Watts	Dual Pole Switch 6 Amperes
7071	1	-	-	Yes	-	Yes
7072	-	1	-	Yes	-	Yes
7073	-	-	-	-	Yes	-
7074	-	-	Yes	Yes	-	-




MX-7071  
UNIVERSAL SOCKET  
6/13 AMP




MX-7072  
INDIAN SOCKET  
6 AMP


## Sockets :



INDIAN  
SOCKET  
6 AMP



UNIVERSAL  
SOCKET  
6 / 13 AMP




INDIAN  
SOCKET  
6 / 16 AMP



USB A+C  
SOCKET  
30 W PD




Wireless  
15 W



GST  
MALE / FEMALE  
CONNECTORS



MX-7073  
WIRELESS  
15 W



MX-7074  
INDIAN SOCKET  
6/16 AMP



# Pluto Dock

PLUTO redefines power and data connectivity in informal spaces with unparalleled versatility. Its 3 outlets and 180° socket access provide seamless power and device charging for small teams using AC mains plugs, USB-A, and USB-C Power Delivery. This product effortlessly blends style and function to meet the growing demand for easily accessible mobile device charging. Available in polished white, black, silver, and 8 vibrant colors, PLUTO perfectly complements any interior design.

- 180° Socket Access
- Infinitely Customizable
- Versatile Installation
- Radiant LED Glow



## SPECIFICATION

Rated Voltage : 250V~ Single Phase

Rated Current : 6-13A

USB Charger : Type A + C 12 / 18/ 30W PD Fast Charging

Material : Polycarbonate

Finish Colors : Black / Red / Yellow / Blue / Orange / White




Wiring : Pre -Wired 300mm Cable With Screw Less Connector

Standard pack : Locking clasp ring.


Dimension : 152 x 149 x 79.5 mm

Cutout Dimension: PCD-120 mm With 3 Screw for Lock


MX No.	Universal or Indian Socket	USB A+C 30 W PD	LED	HDMI or Cat-6
7067	2	1	-	-
7068	2	1	Yes	-
7069	2	-	-	1
7070	2	-	Yes	1




## Customized Sockets on Request :



INDIAN SOCKET  
6 AMP



UNIVERSAL SOCKET  
6 / 13 AMP



UK SOCKET  
13 AMPS




USB A+C SOCKET  
12W (2.4Amp)  
18W (3.1Amp)  
30W PD (5Amp)



HDMI 4K SOCKET



RJ - 45 CAT-6 / CAT-6A SOCKET



GST MALE / FEMALE CONNECTORS





# Pluto Grommet

PLUTO with Locking clasp ring revolutionizes power and data connectivity in casual environments, offering unmatched versatility. With 3 outlets and 360° socket access, it ensures seamless power and device charging for small teams utilizing AC mains plugs, USB-A, and USB-C Power Delivery. This product seamlessly combines style and functionality to address the increasing need for convenient mobile device charging. Available in polished white, black, silver, and a selection of 8 vibrant colors, PLUTO perfectly harmonizes with any interior design.

- 180° Socket Access
- Infinitely Customizable
- Versatile Installation
- Radiant LED Glow

## SPECIFICATION

Rated Voltage : 250V~ Single Phase

Rated Current : 6-13A

USB Charger : Type C & A 12 / 18 / 30 W PD

Material : Polycarbonate

Finish Colors : Black / Red / Yellow / Blue / Orange / White

Wiring : Pre -Wired 300mm Cable With Screw Less Connector

Standard pack : Locking clasp ring.


Dimension : 173 mm x 144 mm

Cutout Dimension: Ø 85 mm




MX No.	Universal or Indian Socket	USB A+C 30 W PD	LED	HDMI or Cat-6
7063	2	1	-	-
7064	2	1	Yes	-
7065	2	-	-	1
7066	2	-	Yes	1

**Standard pack : Locking Clasp Ring**  
**Dimension : 152 x 149 x 79.5mm**  
**Cutout Dimension : 80mm**



## Customized Sockets on Request :





# Power Post Push-Up Wireless

Power Post comes with a spring loaded Pop up mechanism, simply push the top panel to pop the unit up for use. A unique product for electrical outlets and charging electronic devices, by using patch cord or wireless. The wireless feature is compatible with all devices that comply with Qi standards. This product delivers 3 universal electrical receptacles, 1 USB A type & 1 USB C type with power delivery 20 Watts and wireless charger on top

## SPECIFICATION

Rated Voltage : 250V~ Single Phase  
Rated Current : 6-13A  
Universal Sockets : 6/10/13Amps x 3  
USB Charger : 1 USB ports A type 20 Watts (Single Use)  
USB Charger : 1 USB ports C type 20 Watts (Single Use)  
Wireless Charger : 15 Watts  
Material : Polycarbonate  
Finish Colors : Glass Black  
Wiring: 3 x 1mm<sup>2</sup> Cable 1.5 meter with 6 Amps Plug.  
Standard pack : Locking clasp ring.  
Dimension : Ø 128 mm x 160 mm  
Cutout Dimension: Ø 110mm



# Power Post Push-Up

The Power Post features a spring-loaded mechanism for effortless pop-up activation, offering four universal electrical outlets and fast charging for multiple devices via two 15W USB-A ports and a 15W USB-C port with Power Delivery. This compact, retractable unit, crafted from high-grade engineered polycarbonate, is ideal for charging various devices at home, offices, and commercial counters.

## SPECIFICATION

Rated Voltage : 250V~ Single Phase  
Rated Current : 6-13A  
Universal Sockets : 6/10/13Amps x 3  
2 RJ-45 (CAT6) + 1 HDMI (4K)  
Material : Polycarbonate  
Finish Colors : Glass Black  
Wiring: 3 x 1mm<sup>2</sup> Cable 1.8 mtrs with 6 Amps Plug.  
Standard pack : Locking clasp ring.  
Dimension : Ø 145 mm x 119 mm  
Cutout Dimension: Ø 120mm




# Power Post Touch-Up Wireless Feather Touch Light

The Power Post sets itself apart with its unique touch-activated pop-up mechanism, allowing you to easily access power by simply "figuring touching" the switch icon on the top panel. This innovative unit combines both wired and wireless charging capabilities, featuring four universal electrical outlets, two high-power USB-A ports (3.0Amps), two USB-C ports with Power Delivery (30W), and a Qi-compatible wireless charging pad on top (15W). Its compact, retractable design, built from durable engineered polycarbonate, makes it the perfect multi-functional solution for charging multiple devices at home, offices, and commercial counters, maintaining a clean and organized workspace.

## SPECIFICATION

- Rated Voltage : 250V~ Single Phase
- Rated Current : 6-13A
- Universal Sockets : 6/10/13Amps x 3
- 2 RJ-45 (CAT6) + 1 HDMI (4K)
- Wireless Charger : 15 Watts
- Material : Polycarbonate
- Finish Colors : Glass Black
- Wiring: 3 x 1mm<sup>2</sup> Cable 1.8 mtrs with 6 Amps Plug.
- Standard pack : Locking clasp ring.
- Dimension : Ø 145 mm x 120 mm
- Cutout Dimension: Ø 120mm



GLASS BLACK  
MX-7012

# Power Post Touch-Up Wireless


The Power Post sets itself apart with its unique touch-activated pop-up mechanism, allowing you to easily access power. This innovative unit combines wireless charging capabilities, featuring Three universal electrical outlets, 2 RJ-45(CAT6), 1 HDMI(4K) & Qi-compatible wireless charging pad on top (15W). Its compact, retractable design, built from durable engineered polycarbonate, makes it the perfect multi-functional solution for charging multiple devices at home, offices, and commercial counters, maintaining a clean and organized workspace.

## SPECIFICATION

- Rated Voltage : 250V~ Single Phase
- Rated Current : 6-13Amps (Max)
- Universal Sockets : 6/10/13Amps x 3
- 2 RJ-45 (CAT6) + 1 HDMI (4K)
- Wireless Charger : 15 Watts
- Material : Polycarbonate
- Finish Colors : Glass Black
- Wiring : 3 x 1 mm<sup>2</sup> Cable 1.8 meter with 6 Amps Plug.
- Standard pack : Locking clasp ring.
- Dimension : Ø 145 mm x 119 mm
- Cutout Dimension : Ø 120 mm



GLASS BLACK  
MX-7012A



# Furniture Nested Power Receptacles

Furni Nested Power Receptacles discreetly integrate power and charging solutions into your furniture without compromising the design aesthetic. The customizable surround frame blends seamlessly with your décor, ensuring a perfect match. This versatile product offers universal power sockets, fast-charging USB-C and USB-A ports (30W total PD), and optional Cat6 data or HDMI ports, catering to your connectivity needs.

## SPECIFICATION

Rated Voltage : 250V~ Single Phase

Rated Current : 6-13A

Universal Sockets : 6/10/13Amps x 4

USB Charger : 2 USB ports A type 15 Watts (Single Use)

USB Charger : 1 USB ports C type 15 Watts (Single Use)

USB Volt/Current : 5V/3.1Amps

Material : Polycarbonate

Finish Colors : MX 7010 - Glass Silver Grey,

MX 7010A - Glass Black & MX 7010B - Glass White

Wiring : 3 x 1 mm<sup>2</sup> Cable 1.8 meter with 6 Amps Plug.


Standard pack : Locking clasp ring.

Dimension: Ø 92 mm x 173 mm

Cutout Dimension: Ø 90 mm



GLASS GRAY  
MX-7010



# Furniture Push-Up Mini Wireless

The Power Post boasts a spring-loaded pop-up mechanism for easy activation by simply pushing the top panel. This versatile product caters to your wireless charging needs, featuring a 15W Qi-compatible wireless charging pad on top. Additionally, it offers convenient charging options for wired devices with a 15W USB-A port and a 20W USB-C port with Power Delivery. The compact, retractable design, crafted from high-grade engineered polycarbonate, makes it multi-functional and ideal for charging various devices at home and office, ensuring a clean and organized workspace.

- Spring-Loaded Pop-Up Mechanism
- Wireless Charging
- Versatile Wired Charging Options
- Compact and Retractable Design

## SPECIFICATION

Rated Voltage : 250V—Single Phase

USB Charger : USB C 20W + A 18W Ports

Wireless Charger : 15W

Material : Polycarbonate

Finish Colors : White

Wiring : DC 24V (Max) 5.5 X 2.1 mm


Standard pack : With Adaptor

Dimension : 75mm x 113 mm

Cutout Dimension : Ø 62 mm



MX-7018







# Motorized Turn Pop Up



Motorized Turn Plug & Play Pop-Up Boxes revolutionize conference and boardroom tables with their quick and simple installation process. Pre-wired patch-in and patch-out cables make connectivity a breeze, while the motorized function offers convenient panel opening and closing. Break beam sensors ensure safety by preventing accidental closure while the product is in use. Crafted from sleek aluminum alloy, these pop-up boxes seamlessly integrate into your meeting space aesthetic.

## SPECIFICATION

Rated Voltage : 250V~ Single-phase  
 Rated Current : 6-13 Amperes (Max)  
 USB Charger : Type A&C Ports 18W  
 Material : Aluminum, Polycarbonate  
 Finish Colors : Silver & Black (Anodized)  
 Wiring : 3 x 1 mm<sup>2</sup> Cable 1.5 meter with 6 Amps Plug.  
 Multimedia : Pre-connected Cable  
 Standard Pack : Mounting Hardware  
 Sensor for protection



MX No.	Universal Socket 6/13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	USB A Data	VGA 15 Pin	Aux 3.5	Silver	Black	Dimensions (mm)	Cutout (mm)
7000	3	1	2	1	-	-	-	Yes	-	435x110x103	405x104
7000A (Black)	3	1	2	1	-	-	-	-	Yes	435x110x103	405x104
7000B	2	1	2	1	1	1	1	Yes	-	460x110x103	430x104
7000C (Black)	2	1	2	1	1	1	1	--	Yes	460x110x103	430x104



# Motorized Turn Meld Wireless



Motorized Turn melded wireless Plug & Play Pop-Up Boxes represent a unique innovation for conference and boardroom tables, offering both quick and simple installation and a seamless blend of wired and wireless charging capabilities. Pre-wired patch-in and patch-out cables ensure effortless connectivity, while the motorized function allows for convenient panel opening and closing. Qi-compatible wireless charging ensures compatibility with all your devices, eliminating the need for unsightly cables. Break beam sensors provide an extra layer of safety by preventing accidental closure during use. Crafted from sleek aluminum alloy, these pop-up boxes integrate seamlessly into your meeting space, maintaining a modern and professional aesthetic.

## SPECIFICATION

Mx Artical No.: 7000 D (Silver) / 7000 E (Black)  
 Rated Voltage : 250V~ Single-phase  
 Rated Current : 6-13 Amperes (Max)  
 USB Charger : Type A&C Ports 18W  
 Wireless Charger : 15 Watts  
 Material : Aluminium, Polycarbonate  
 Finish Colors : Silver & Black  
 Wiring : 3 x 1 mm<sup>2</sup> Cable 1.5 meter with 6 Amps Plug.  
 Multimedia : Pre-connected cables  
 Standard pack : Mounting Hardware Sensor for protection



MX No.	Universal Socket 6/13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Dimensions (mm)	Cutout (mm)
7000D	2	1	1	1	445X120X100	430X105
7000E	2	1	1	1	445X120X100	430X105





# Manual Turn Pop Up



Manual Plug & Play Pop-Up Boxes simplify installation in conference and boardroom tables. Pre-wired patch-in and patch-out cables ensure effortless connectivity, while the simple turnaround function allows for convenient panel opening and closing. Constructed of durable aluminum alloy, these pop-up boxes seamlessly integrate into your meeting space, offering a modern and functional solution.

## SPECIFICATION

- Rated Voltage : 250V~
- Rated Current : 6-13Amps (Max)
- USB Charger : Type A & C Ports 18W
- Material : Aluminum, Polycarbonate
- Finish Colors : Silver & Black (Anodized)
- Wiring : 3 x 1 mm<sup>2</sup> Cable 1.5 meter with 6 Amps Plug.
- Multimedia : Pre-connected cables
- Standard Pack : Mounting Hardware



MX No.	Universal Socket 6-13A	2 USB A + C 18 W	Data Cat	HDMI 4K	USB A Data	VGA 15 Pin	Aux 3.5	Silver	Black	Dimensions (mm)	Cutout (mm)
7001	3	1	2	1	1	1	1	Yes	-	400x110x103	370x104
7001A (Black)	3	1	2	1	1	1	1	-	Yes	400x110x103	370x104



# Hydraulic Pop Up



Hydraulic Plug & Play Pop-Up Boxes facilitate quick and simple installation with pre-wired patch-in and patch-out cables for effortless connectivity. A convenient press button function allows for easy panel opening and closing, while the sleek aluminum alloy construction seamlessly integrates into conference and small meeting room tables.

## SPECIFICATION

- Rated Voltage : 250V~
- Rated Current : 6-13Amps (Max)
- Material : Aluminium, Polycarbonate
- Finish Colors : Silver & Black (Anodized)
- Wiring : 3 x 1 mm<sup>2</sup> Cable 1.5 meter with 6 Amps Plug.
- Multimedia: Pre-connected cables



MX No.	Universal Socket 6-13A	2 USB A + C 18 W	Data Cat	HDMI 4K	USB A Data	VGA 15 Pin	Aux 3.5	Silver	Black	Dimensions (mm)	Cutout (mm)
7002	2	-	2	1	1	1	1	Yes	-	265x118x70	225x110
7002A (Black)	2	--	2	1	1	1	1	-	Yes	265x118x70	225x110






# Access Flaps

The access flaps offer seamless integration and convenient access to power sources. Featuring an integral frame and cover plate, these flaps provide single or dual-sided access to outlets, ensuring flexibility in your workspace. Additionally, buffer damping ensures silent opening and closing, maintaining a peaceful environment. These flaps are compatible with both integrated and bottom box configurations, making them suitable for a wide range of applications, including workstations, meeting room tables, conference tables, executive tables, and even classroom desks.



ACCESS FLAP WITH GASKET  
7019 / 7023 / 7027



ACCESS FLAP WITH BRUSH  
7020 / 7024 / 7028



ACCESS FLAP WITH BRUSH  
1 USB A + 1 USB C 12 / 18 / 30W PD  
7022 / 7026 / 7030



ACCESS FLAP WITH GASKET  
1 USB A + 1 USB C 12 / 18 / 30W PD  
7021 / 7025 / 7029

MX No.	Gasket	Brush	USB A+C	AL	Size (mm)	Dimensions With End Cap (mm)	Cutout (mm)
7019	Yes	-	-	Yes	300 mm	334 X 150 X 28	316 X 134
7020	-	Yes	-	Yes	300 mm	347 X 150 X 28	316 X 134
7021	Yes	-	Yes	Yes	300 mm	347 X 150 X 28	330 X 134
7022	-	Yes	Yes	Yes	300 mm	485 X 150 X 28	330 X 134
7023	Yes	-	-	Yes	450 mm	485 X 150 X 28	466 X 134
7024	-	Yes	-	Yes	450 mm	485 X 150 X 28	466 X 134
7025	Yes	-	Yes	Yes	450 mm	497 X 150 X 28	480 X 134
7026	-	Yes	Yes	Yes	450 mm	497 X 150 X 28	480 X 134
7027	Yes	-	-	Yes	600 mm	640 X 150 X 28	616 X 134
7028	-	Yes	-	Yes	600 mm	640 X 150 X 28	616 X 134
7029	Yes	-	Yes	Yes	600 mm	650 X 150 X 28	630 X 134
7030	--	Yes	Yes	Yes	600 mm	650 X 150 X 28	630 X 134

## Customized Sockets on Request :



USB A+C  
SOCKET  
12W (2.4Amp)



USB A+C  
SOCKET  
18W (3.1Amp)



USB A+C  
SOCKET  
30W PD (5Amp)

# Access Flaps

The access flap features an integrated frame and soft closure, offering single-sided access to an electrical outlet while seamlessly blending into your workspace. Its compatibility with an integrated bottom box provides additional flexibility, and USB charging ports conveniently located on the side cap ensure effortless charging for your electronic devices. This versatile flap is ideal for various applications, including workstations, meeting room tables, conference tables, supervisor desks, and even classroom desks, enhancing functionality and accessibility in any environment.



ACCESS FLAP SINGLE SOFT CLOSE

7003 / 7003 A / 7003 B  
7004 / 7004 A / 7004 B

ACCESS FLAP PC


7007 / 7007 A / 7007 B

ACCESS FLAP DOUBLE


7006 / 7006 A

MX No.	Soft Close	AL	PC	Silver	Black	White	Size	Dimensions (mm)	Cutout (mm)
7003	Yes	Yes	–	Yes	–	–	300 mm	300 x 127 x 30	290 x 110
7003 A	Yes	Yes	–	–	Yes	–	300 mm	300 x 127 x 30	290 x 110
7003 B	Yes	Yes	–	–	–	Yes	300 mm	300 x 127 x 30	290 x 110
7004	Yes	Yes	–	Yes	–	–	450 mm	450 x 127 x 30	440 x 110
7004 A	Yes	Yes	–	–	Yes	–	450 mm	450 x 127 x 30	440 x 110
7004 B	Yes	Yes	–	–	–	Yes	450 mm	450 x 127 x 30	440 x 110
7006	–	Yes	–	Yes	–	–	300 mm	300 x 127 x 30	290 x 110
7006 A	–	Yes	–	Yes	–	–	450 mm	450 x 127 x 30	440x 110
7007	–	–	Yes	Yes	–	–	300 mm	300 x 127 x 30	290 x 110
7007 A	–	–	Yes	–	Yes	–	300 mm	300 x 127 x 30	290 x 110
7007 B	--	--	Yes	--	--	Yes	300 mm	300 x 127 x 30	290 x 110


MX-7003/A/B




MX-7006A




MX-7004/A/B



MX-7007/A/B



MX-7006



# Electrical and Electronic Connectors & Cables



**MX 4215**  
GST 18i3 MALE  
CONNECTOR



**MX 4216**  
GST 18i3 FEMALE  
CONNECTOR



**GST 18i3 CONNECTOR**  
AVAILABLE IN CUSTOMIZED  
LENGTH



**MX 222-412D**  
2 POLE WIRE JOINTER



**MX 222-413D**  
3 POLE WIRE JOINTER



**MX 222-415D**  
5 POLE WIRE JOINTER



**MX 603-3P**  
3 PIN PUSH WIRE  
FAST CONNECTOR



**MX 5-3**  
3 POLE IP-68  
WATERPROOF CONNECTOR



**MX 3542**  
3 PIN IEC-13 FEMALE CORD  
3x0.75Sqmm



**MX 3585**  
3 PIN IEC-19 FEMALE SERVER  
CORD 3x1.5 Sqmm



**MX 3537**  
IEC-C13 3 PIN AC  
FEMALE CONNECTOR



**MX 3538**  
IEC-C13 3 PIN AC FEMALE  
CONNECTOR PANEL MNTG



**MX 3561**  
UTP CAT6 PATCH CORD  
WITH 100% TESTED



**MX 3652**  
LOCKABLE CAT-6 & CAT-6A  
PATCH CORD 100% TESTED



**MX 3661**  
RJ-45 CAT-6 & CAT-6A  
LOCKABLE CONNECTOR



**MX 4012**  
RJ-45 CONNECTOR SHELL



**MX 3516**  
HDMI / HDMI MALE CORD 2.0  
HIGH SPEED 18 Gbps



**MX 4027**  
HDMI / HDMI MALE CORD 2.1V  
8K / 30AWG



**MX 4159**  
DISPLAY PORT / DISPLAY PORT  
CORD



**PREMIUM  
SERIES**  
**MXP 5302**  
HDMI 2.0 AOC CABLE  
(ACTIVE OPTICAL)  
18G/s 4K/60Hz

**PREMIUM SERIES**



MXP 5401  
Qualcomm Quick Charge 3.0  
Pd100W

**PREMIUM SERIES**




MXP 5304  
TYPE C TO C (AUDIO, VIDEO)  
AOC CABLE (21.6Gbps/4K)

**PREMIUM SERIES**



MXP 5403  
THUNDERBOLT 3 CABLE  
40G/100W/20V5A  
AUDIO-VIDEO 4K/60Hz

**PREMIUM SERIES**



MXP 5303  
TYPE C TO HDMI AM 2.0  
AOC CABLE (18Gbps/4K/60Hz)

**SUPER SPEED USB 3.0**



MX 3525  
USB A MALE / USB A FEMALE  
HIGH SPEED

**SUPER SPEED USB 3.0**



MX 3527  
USB A MALE / MICRO USB  
5 PIN CORD HIGH SPEED

**SUPER SPEED USB 3.0**



MX 3526  
USB A MALE / USB B MALE  
HIGH SPEED

**SUPER SPEED USB 3.0**



MX 4223A  
USB 3.0 ACTIVE SUPER SPEED  
EXTENSION WITH 2 IC CABLE  
AVAILABLE - 5, 10 & 15 Mtrs



MX 4021  
ERGONOMIC MONITOR STAND  
17" - 27" LED/LCD DESKTOP  
STAND FLEXI MOUNT



MX 4022  
ERGONOMIC MONITOR STAND  
17" - 27" 2 WAY LED/LCD  
DESKTOP STAND



MX 4023  
ERGONOMIC MONITOR STAND  
22" - 35" LED/LCD DESKTOP  
STAND SPRING MOUNT



MX 4023  
17" - 26" LED/LCD MONITOR  
DESK MOUNT

**5 AMP INDUSTRIAL STANDARD ALUMINUM EXTRUSION BODY**



MX 617  
4 OUTLET UNIVERSAL SURGE  
& SPIKE PROTECTOR  
WALL MOUNT

**5 AMP INDUSTRIAL STANDARD ALUMINUM EXTRUSION BODY**



MX 4121  
4 OUTLET UNIVERSAL POWER  
STRIP WITH LIVE VOLTAGE  
DISPLAY WALL MOUNT

**5 AMP INDUSTRIAL STANDARD ALUMINUM EXTRUSION BODY**



MX 3404  
8 OUTLET UNIVERSAL POWER  
STRIP WITH SINGLE POLE MCB  
WALL/RACK MOUNT

**100% COPPER Heavy Duty Power Cord 12 SOCKET UNIVERSAL POWER STRIP**



MX 3511  
12 SOCKET UNIVERSAL  
POWER STRIP



**DESIGNER CABLE ORGANIZER**

MX 2762 - 4 WAY  
MX 2763 - 6 WAY  
MX 2764 - 8 WAY  
Finish Colors : Black, Silver, Rose Gold  
Length : 0.76 Mtrs (16 Pcs)



**ROBOT CABLE ORGANIZER**

MX 2816  
Finish Colors : Black, Gray, Ivory  
Length : 75 CMS (48 Pcs)



**PROFESSIONAL CABLE ORGANIZER**

MX 2696  
Finish Colors : Black, Gray, Ivory  
Length : 1.5 Mtrs to 50 Mtrs



**UNDER DESK CABLE MANAGEMENT TRAY**

MX 2696  
Finish Colors : Black  
Length : 1.5 Mtrs to 50 Mtrs

# FEW OF OUR PRESTIGIOUS CLIENTS



Reliance

PHILIPS



Unilever

Walmart

Kirloskar



HSBC

KONE

Pidilite

TAJ



Kokilaben Dhirubhai Ambani  
hospital & medical research institute

Every Life Matters

Infosys



भारतीय प्रौद्योगिकी संस्थान हैदराबाद  
Indian Institute of Technology Hyderabad

McKinsey  
& Company



Prestige  
UNIVERSITY



BHIVE  
WORKSPACE

Signify



HT Parekh  
FOUNDATION



Bombay Dyeing

BED | BATH | COORDINATES



AVIENT™

Bliss  
GWS

PolyOne™



GR InfraProjects Ltd.



ideaForge™  
Create. Inspire



99Games

MAYFAIR  
Hotels & Resorts



Sapient®  
Creating Happy Investors

Vestas



CONNECTING THE FUTURE

## MX MDR TECHNOLOGIES LTD.

FACTORY :  
Plot No.101, Sector1 Gaurai pada, Vasai (E), Dist. Palghar-401208. INDIA

CORPORATE EXPERIENCE CENTER :  
Unit No.5/K, Laxmi Industrial Estate, New Link Road, Andheri (W),  
Mumbai-400053, INDIA

☎ +91 98922 50949 ✉ [info@mdrelectronics.com](mailto:info@mdrelectronics.com)  
[www.mdrelectronics.com](http://www.mdrelectronics.com)

